

TOP VIEW - OPENING
SPACE REQUIREMENTS

Art. No. FEN1848AQU - 6202144


6mm Frameless - 1100 Slider

Glass thickness 6mm


Easy-clean glass coating

Wall profile adjustment 15mm per profile

Reversible for right and left hand Installation



FRONT VIEW



EXTERIOR VIEW

Art. No. FEN1849AQU - 6202151


6mm Frameless - 1200 Slider

Glass thickness 6mm


Easy-clean glass coating

Wall profile adjustment 20mm per profile


Reversible for right and left hand installation



TOP VIEW - OPENING
SPACE REQUIREMENTS



FRONT VIEW



EXTERIOR VIEW

Art. No. FEN1850AQU - 6202168


6mm Frameless - 1400 Slider

Glass thickness 6mm


Easy-clean glass coating

Wall profile adjustment 15mm per profile


Reversible for right and left hand Installation



TOP VIEW - OPENING
SPACE REQUIREMENTS



FRONT VIEW




EXTERIOR VIEW


Art. No. FEN1851AQU - 6202175

6mm Frameless - 1400mm Slider


Glass thickness 6mm
Easy-clean glass coating
Wall profile adjustment 15mm per profile
Reversible for right and left hand installation



TOP VIEW - OPENING
SPACE REQUIREMENTS



FRONT VIEW



EXTERIOR VIEW

Art. No. FEN1852AQU - 6202182


6mm Frameless - 1700 Slider

Glass thickness 6mm


Easy-clean glass coating

Wall profile adjustment 15mm per profile


Reversible for right and left hand installation



TOP VIEW - OPENING
SPACE REQUIREMENTS



FRONT VIEW



EXTERIOR VIEW